

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Constic

1.2. Relevant identified uses of the substance or mixture and uses advised against**Uses advised against**

pregnant or breastfeeding people should not work with hazardous substances

1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Eye Dam. 1; H318
 Skin Sens. 1; H317
 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxo-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)
 Aliphatic epoxy diacrylate
 2-hydroxyethyl methacrylate
 Triethylene glycol dimethacrylate
 Aliphatic epoxy acrylate
 2-dimethylaminoethyl methacrylate
 1,12-Dodecane Dimethacrylate

Signal word: Danger**Pictograms:****Hazard statements**

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye/face protection.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 2 of 14

P501

Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

Contains 5 - < 10 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)			5 - < 10 %
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
85590-00-7	10-methacryloyloxydecyl dihydrogen phosphate			5 - < 10 %
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
41637-38-1	ethoxylated bisphenol A dimethacrylate			1 - < 5 %
	609-946-4		01-2119980659-17	
	Aquatic Chronic 4; H413			
	Aliphatic epoxy diacrylate			1 - < 5 %
			01-2119980027-36	
	Acute Tox. 4, Eye Dam. 1, Skin Sens. 1B, Aquatic Chronic 4; H302 H318 H317 H413			
868-77-9	2-hydroxyethyl methacrylate			1 - < 5 %
	212-782-2	607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317			
109-16-0	Triethylene glycol dimethacrylate			1 - < 5 %
	203-652-6		01-2119969287-21	
	Skin Sens. 1B; H317			
	Aliphatic epoxy acrylate			< 1 %
	Skin Irrit. 2, Skin Sens. 1A, Aquatic Chronic 3; H315 H317 H412			
21245-02-3	2-Ethylhexyl 4-(dimethylamino)benzoate			< 1 %
	244-289-3		01-2120766649-35	
	Repr. 1B; H360			
2867-47-2	2-dimethylaminoethyl methacrylate			< 1 %
	220-688-8	607-132-00-3		
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1C, Eye Irrit. 2, Skin Sens. 1; H312 H302 H314 H319 H317			
72829-09-5	1,12-Dodecane Dimethacrylate			< 1 %
	276-900-4		01-2120756306-53	
	Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 1; H317 H400 H410			
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate			< 0.1 %
	201-297-1	607-035-00-6	01-2119452498-28	
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
72869-86-4	276-957-5	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	5 - < 10 %
		oral: LD50 = >5000 mg/kg	
41637-38-1	609-946-4	ethoxylated bisphenol A dimethacrylate	1 - < 5 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
		Aliphatic epoxy diacrylate	1 - < 5 %
		oral: ATE = 500 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	1 - < 5 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = 5564 mg/kg	
109-16-0	203-652-6	Triethylene glycol dimethacrylate	1 - < 5 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
21245-02-3	244-289-3	2-Ethylhexyl 4-(dimethylamino)benzoate	< 1 %
		oral: LD50 = 14900 mg/kg	
2867-47-2	220-688-8	2-dimethylaminoethyl methacrylate	< 1 %
		dermal: ATE = 1100 mg/kg; oral: LD50 = 1751 mg/kg	
72829-09-5	276-900-4	1,12-Dodecane Dimethacrylate	< 1 %
		oral: LD50 = >2000 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
80-62-6	201-297-1	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	< 0.1 %
		inhalation: LC50 = 29,8 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg	

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 4 of 14

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 5 of 14

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
150-76-5	4-Methoxyphenol	-	5		TWA (8 h)	
80-62-6	Methyl methacrylate	50	-		TWA (8 h)	
		100	-		STEL (15 min)	
1309-37-1	Rouge, respirable dust	-	4		TWA (8 h)	
13463-67-7	Titanium dioxide, total inhalable dust	-	10		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxo-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)			
Worker DNEL, long-term		inhalation	systemic	3,3 mg/m ³
Worker DNEL, long-term		dermal	systemic	1,3 mg/kg bw/day
41637-38-1	ethoxylated bisphenol A dimethacrylate			
Worker DNEL, long-term		inhalation	systemic	3,52 mg/m ³
Worker DNEL, long-term		dermal	systemic	2 mg/kg bw/day
868-77-9	2-hydroxyethyl methacrylate			
Worker DNEL, long-term		inhalation	systemic	4,9 mg/m ³
Worker DNEL, long-term		dermal	systemic	1,3 mg/kg bw/day
109-16-0	Triethylene glycol dimethacrylate			
Worker DNEL, long-term		inhalation	systemic	48,5 mg/m ³
Worker DNEL, long-term		dermal	systemic	13,9 mg/kg bw/day
13463-67-7	titanium dioxide			
Worker DNEL, long-term		inhalation	local	10 mg/m ³
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate			
Worker DNEL, long-term		inhalation	systemic	208 mg/m ³
Worker DNEL, long-term		dermal	systemic	13,7 mg/kg bw/day
Worker DNEL, acute		dermal	local	1,5 mg/cm ²
128-37-0	2,6-Di-tert-butyl-4-methylphenol			
Worker DNEL, long-term		inhalation	systemic	3,5 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 6 of 14

PNEC values

CAS No	Substance	Value
Environmental compartment		Value
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxo-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	
Freshwater		0,01 mg/l
Marine water		0,001 mg/l
Freshwater sediment		4,56 mg/kg
Marine sediment		0,456 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,61 mg/l
Soil		0,91 mg/kg
868-77-9	2-hydroxyethyl methacrylate	
Freshwater		0,482 mg/l
Freshwater sediment		3,79 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,476 mg/kg
109-16-0	Triethylene glycol dimethacrylate	
Freshwater		0,164 mg/l
Marine water		0,0164 mg/l
Freshwater sediment		1,85 mg/kg
Marine sediment		0,185 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,274 mg/kg
13463-67-7	titanium dioxide	
Freshwater		0,127 mg/l
Freshwater (intermittent releases)		0,61 mg/l
Marine water		1 mg/l
Freshwater sediment		1000 mg/kg
Marine sediment		100 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		100 mg/kg
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	
Freshwater		0,94 mg/l
Marine water		0,094 mg/l
Freshwater sediment		10,2 mg/kg
Marine sediment		10,2 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		1,48 mg/kg
128-37-0	2,6-Di-tert-butyl-4-methylphenol	
Freshwater		0,000199 mg/l
Freshwater (intermittent releases)		0,00199 mg/l
Marine water		0,000199 mg/l
Freshwater sediment		0,0996 mg/kg
Marine sediment		0,00996 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 7 of 14

Soil	0,04769 mg/kg
------	---------------

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Paste	
Colour:		
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not applicable
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density:		not determined
Relative vapour density:		not determined

9.2. Other information**Information with regard to physical hazard classes**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 8 of 14

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 11434,5 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 9 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxo-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)				
	oral	LD50 >5000 mg/kg	Rat	supplier SDS	OECD 401
41637-38-1	ethoxylated bisphenol A dimethacrylate				
	oral	LD50 >2000 mg/kg	Rat	ECHA	OECD 423
	dermal	LD50 >2000 mg/kg	Rat	ECHA	OECD 402
	Aliphatic epoxy diacrylate				
	oral	ATE 500 mg/kg			
868-77-9	2-hydroxyethyl methacrylate				
	oral	LD50 5564 mg/kg	Rat	supplier SDS	
	dermal	LD50 >5000 mg/kg	Rabbit	supplier SDS	
109-16-0	Triethylene glycol dimethacrylate				
	oral	LD50 >5000 mg/kg	Rat	supplier SDS	
	dermal	LD50 >2000 mg/kg	Mouse	supplier SDS	
21245-02-3	2-Ethylhexyl 4-(dimethylamino)benzoate				
	oral	LD50 14900 mg/kg	Rat	ECHA	OECD 401
2867-47-2	2-dimethylaminoethyl methacrylate				
	oral	LD50 1751 mg/kg	Rat	supplier SDS	
	dermal	ATE 1100 mg/kg			
72829-09-5	1,12-Dodecane Dimethacrylate				
	oral	LD50 >2000 mg/kg	Rat	supplier SDS/ ECHA	
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate				
	oral	LD50 >5000 mg/kg	Rat	supplier SDS	
	dermal	LD50 >5000 mg/kg	Rabbit	supplier SDS	
	inhalation (4 h) vapour	LC50 29,8 mg/l	Rat	supplier SDS	

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 10 of 14

May cause an allergic skin reaction. (7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers); Aliphatic epoxy diacrylate; 2-hydroxyethyl methacrylate; Triethylene glycol dimethacrylate; Aliphatic epoxy acrylate; 2-dimethylaminoethyl methacrylate; 1,12-Dodecane Dimethacrylate; hydroquinone monomethyl ether; methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 11 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
41637-38-1	ethoxylated bisphenol A dimethacrylate					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Danio rerio (zebrafish)	supplier SDS	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata	supplier SDS	
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna (Big water flea)	supplier SDS	
868-77-9	2-hydroxyethyl methacrylate					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Oryzias latipes (Ricefish)	supplier SDS	
	Acute algae toxicity	ErC50 836 mg/l	72 h	Selenastrum capricornutum	supplier SDS	
	Acute crustacea toxicity	EC50 380 mg/l	48 h	Daphnia magna (Big water flea)	supplier SDS	OECD 202
109-16-0	Triethylene glycol dimethacrylate					
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Crustacea toxicity	NOEC 32 mg/l	21 d	Daphnia magna (Big water flea)		
2867-47-2	2-dimethylaminoethyl methacrylate					
	Acute fish toxicity	LC50 19,1 mg/l	96 h	Oryzias latipes (Ricefish)	supplier SDS	OECD 203
	Acute algae toxicity	ErC50 69,7 mg/l	72 h	Selenastrum capricornutum	supplier SDS	OECD 201
	Acute crustacea toxicity	EC50 33 mg/l	48 h	Daphnia magna (Big water flea)	supplier SDS	OECD 202
	Crustacea toxicity	NOEC 4,35 mg/l	21 d	Daphnia magna (Big water flea)	ECHA	OECD 211
72829-09-5	1,12-Dodecane Dimethacrylate					
	Acute algae toxicity	ErC50 0,017 mg/l	72 h	Pseudokirchneriella subcapitata	supplier SDS/ ECHA	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna (Big water flea)	supplier SDS/ ECHA	
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate					
	Acute fish toxicity	LC50 >100 mg/l	96 h		supplier SDS	OECD 203
	Acute algae toxicity	ErC50 110 mg/l	72 h	Selenastrum capricornutum	ECHA	
	Fish toxicity	NOEC 9,4 mg/l			supplier SDS	OECD 210
	Algae toxicity	NOEC >110 mg/l		Selenastrum capricornutum	supplier SDS	OECD 201
	Crustacea toxicity	NOEC 37 mg/l		Daphnia magna (Big water flea)	supplier SDS	OECD 202

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 12 of 14

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	OECD 301F	22%	28	
	Not readily biodegradable (according to OECD criteria)				
41637-38-1	ethoxylated bisphenol A dimethacrylate	OECD 301D	24%	28	
	Not readily biodegradable (according to OECD criteria)				
	Aliphatic epoxy diacrylate	OECD 301F	56%	28	
	Biodegradable.				
868-77-9	2-hydroxyethyl methacrylate	OECD 301D	84	28	
	Easily biodegradable (concerning to the criteria of the OECD)				
109-16-0	Triethylene glycol dimethacrylate	OECD 301B	85%		
	Readily biodegradable (according to OECD criteria).				
2867-47-2	2-dimethylaminoethyl methacrylate	OECD 301E	95,3%	28	
	Easily biodegradable (concerning to the criteria of the OECD)				
72829-09-5	1,12-Dodecane Dimethacrylate	OECD 301B	97,3%	28	
	Easily biodegradable (concerning to the criteria of the OECD)				
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	OECD 301C	94%	14	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	3,39
85590-00-7	10-methacryloyloxydecyl dihydrogen phosphate	3,53
41637-38-1	ethoxylated bisphenol A dimethacrylate	5,62
	Aliphatic epoxy diacrylate	2,5
868-77-9	2-hydroxyethyl methacrylate	0,42
109-16-0	Triethylene glycol dimethacrylate	2,3
21245-02-3	2-Ethylhexyl 4-(dimethylamino)benzoate	6,2
2867-47-2	2-dimethylaminoethyl methacrylate	1,13
72829-09-5	1,12-Dodecane Dimethacrylate	6,5
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	1,38

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 13 of 14

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

2 - obviously hazardous to water

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Constic

Revision date: 23.11.2023

Product code: 021243

Page 14 of 14

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)