according to Regulation (EC) No 1907/2006

DMG Etching Gel

Revision date: 23.09.2022

Product code: 020223

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DMG Etching Gel

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische I	Fabrik GmbH
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

phosphoric acid; orthophosphoric acid 100 %

Signal word:

Pictograms:



Danger

Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

P280	Wear protective gloves and eye/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization PHOSPHORIC ACID

according to Regulation (EC) No 1907/2006

DMG Etching Gel

Revision date: 23.09.2022

Product code: 020223

Page 2 of 9

Hazardous components

CAS No	Chemical name				
	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)				
7664-38-2	phosphoric acid; orthoph	phosphoric acid; orthophosphoric acid 100 %			
	231-633-2	015-011-00-6	01-2119485924-24		
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B; H290 H302 H314				

Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-fac	ctors and ATE		
CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
7664-38-2	2 231-633-2 phosphoric acid; orthophosphoric acid 100 %			
	oral: LD50 = 1250 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

according to Regulation (EC) No 1907/2006

DMG Etching Gel

Revision date: 23.09.2022

Product code: 020223

Page 3 of 9

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Wear suitable protective clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Ensure adequate ventilation of the storage area.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep container tightly closed in a cool, well-ventilated place. Store only in original container.

Hints on joint storage

Do not store together with: Alkalis (alkalis). metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

according to Regulation (EC) No 1907/2006

DMG Etching Gel

Revision date: 23.09.2022

Product code: 020223

Page 4 of 9

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7664-38-2	phosphoric acid; orthophosphoric acid 100 %					
Worker DNEL,	acute	inhalation	local	2 mg/m³		
Worker DNEL, long-term		inhalation	local	1 mg/m³		
Consumer DNEL, long-term		inhalation	local	0,73 mg/m³		

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.: NBR (Nitrile rubber). Butyl rubber.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. exceeding exposure limit values: Filtering device (full mask or mouthpiece) with filter: A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Jelly	
Colour:	blue	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		not determined
Lower explosion limits:		not applicable
Upper explosion limits:		not determined
Flash point:		not applicable
Auto-ignition temperature:		not applicable
Decomposition temperature:		not determined
pH-Value:		1
Water solubility:		easily soluble.
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined

according to Regulation (EC) No 1907/2006

	DMG Etching Gel	
Revision date: 23.09.2022	Product code: 020223	Page 5 of 9
Vapour pressure: (at 23 °C)	20 hPa	
Density:	1,4 g/cm³	
Relative vapour density:	< 1	
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
The product is not: Explosive.		
Oxidizing properties		
The product is not: oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Alkalis (alkalis).

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

LD50: Rat >810mg/kg

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
7664-38-2	phosphoric acid; orthopho	phosphoric acid; orthophosphoric acid 100 %						
		LD50 1250 mg/kg	Rat	supplier SDS				

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Irritant effect on the eye: Causes burns.

After skin contact: Causes burns.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

DMG Etching Gel

Revision date: 23.09.2022

Product code: 020223

Page 6 of 9

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7664-38-2	phosphoric acid; orthophosphoric acid 100 %							
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	SDS	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	> 100		Daphnia magna (Big water flea)	SDS	OECD 202	
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge	ECHA		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

according to Regulation (EC) No 1907/2006

	DMG Etching Gel	
Revision date: 23.09.2022	Product code: 020223	Page 7 of 9
(EXCEPT KITCHEN AND CARE); wastes from natal	OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH care, diagnosis, treatment or prevention of disease in humans; containing hazardous substances; hazardous waste	
Contaminated packaging		
Non-contaminated packages may be r	ecycled. Handle contaminated packages in the same way as the	
substance itself.		
SECTION 14: Transport information		
Land transport (ADR/RID)		
Land transport (ADR/RID) <u>14.1. UN number or ID number:</u>	UN 1805	
14.2. UN proper shipping name:	PHOSPHORIC ACID, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
	Â	
	8	
Classification code:	C1	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Marine transport (IMDG)		
<u>14.1. UN number or ID number:</u>	UN 1805	
14.2. UN proper shipping name:	PHOSPHORIC ACID, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Special Provisions:	223	
Limited quantity:	5 L	
EmS:	F-A, S-B	
Other applicable information (marine tra	insport)	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1805	
14.2. UN proper shipping name:	PHOSPHORIC ACID, SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3	
Limited quantity Passenger:	1L	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	

according to Regulation (EC) No 1907/2006

	DMG Etching Gel	
Revision date: 23.09.2022	Product code: 020223	Page 8 of 9
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	856 60 L	
Other applicable information (air transpor E1 : Y841	ru)	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user Warning: strongly corrosive.		
14.7. Maritime transport in bulk according to not applicable	IMO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 75		
2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):	0,5 % (7 g/l) Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions: Water hazard class (D):	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 2 - obviously hazardous to water	
15.2. Chemical safety assessment		
	ances in this mixture were not carried out.	
SECTION 16: Other information		
Abbreviations and acronyms		
CLP: Classification, labelling and Packa	aging	
REACH: Registration, Evaluation and A		
	Classification, Labelling and Packaging of Chemicals	
UN: United Nations CAS: Chemical Abstracts Service		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level		
PNEC: Predicted No Effect Concentrati	on	
ATE: Acute toxicity estimate		
LC50: Lethal concentration, 50% LD50: Lethal dose, 50%		
LL50: Lethal loading, 50% EL50: Effect loading, 50%		
EC50: Effective Concentration 50%		
ErC50: Effective Concentration 50%, gr		
NOEC: No Observed Effect Concentrat	ion	
BCF: Bio-concentration factor		
PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumula	ative	
	des marchandises dangereuses par Route	

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

according to Regulation (EC) No 1907/2006

DMG Etching Gel

Revision date: 23.09.2022

Product code: 020223

Page 9 of 9

RID: Regulations concerning the international carriage of dangerous goods by rail IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)