

Page 1/8

Revision: 07.02.2023

Tel.: +49 (0)800 4372522

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - Trade name: Flexitime Correct Flow Base (1:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008 Void
 - · Hazard pictograms Void
 - Signal word Void
 - · Hazard statements Void
 - Additional information: see 2.1
- · 2.3 Other hazards
 - · Results of PBT and vPvB assessment

·PRT	
------	--

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: -

· Dangerous components:		
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	
CAS: 78330-21-9	Alkohole, C11-14-iso-, C13-reich, ethoxyliert	≥1-<3%
	Eye Dam. 1, H318	
CAS: 556-67-2	octamethylcyclotetrasiloxane	≥0.025-<0.25%
EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xx	Flam. Liq. 3, H226	
Reg.nr.: 01-2119529238-36-xx	xxRepr. 2, H361f	
	Aquatic Chronic 1, H410 (M=10)	
	PBT; vPvB	
	•	(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Correct Flow Base (1:1)

(Contd. of page 1)

Revision: 07.02.2023

·SVHC

556-67-2 octamethylcyclotetrasiloxane

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact if skin irritation continues, consult a doctor.
 - After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.
 - Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required. (Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Correct Flow Base (1:1)

(Contd. of page 2)

Revision: 07.02.2023

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

· DN	DNELs		
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
Oral	general population, long term, systemic	3.7 mg/Kg (not defined)	
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)	
	worker industrial, long term, local	73 mg/m3 (not defined)	
	general population, long term, systemic	13 mg/m3 (not defined)	
	general population, long term, local	13 mg/m3 (not defined)	

· PNECs

556-67-2 octamethylcyclotetrasiloxane

freshwater	0.0015 mg/l (not defined)
marine water	0.00015 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	3 mg/Kg (not defined)
sediment, dry weight, marine water	0.3 mg/Kg (not defined)

[·] Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Correct Flow Base (1:1)

(Contd. of page 3)

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Tightly sealed safety glasses.

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Smell:
Odour threshold:
Melting point/freezing point:
Fluid
Green
Characteristic
Not determined
Not determined

Melting point/freezing point:
Boiling point or initial boiling point and

boiling range >300 °C
Flammability Not applicable.

· Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.

Flash point: >130 °C | Ignition temperature: >500 °C

• Decomposition temperature: Not determined.

SADT

· **pH** Not determined.

· Viscosity:

* Kinematic viscosity Not determined.
* dynamic: Not determined.

Solubility

• Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value) Not determined. Steam pressure: Not determined.

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

• **9.2 Other information** No further relevant information available.

Appearance:

Form: Pasty

Important information on protection of health and environment, and on safety.

• Self-inflammability:
• Explosive properties:

Product is not selfigniting.

Product is not explosive.

Not determined.

· Solvent content:

· Solids content: 44.7 %

Change in condition
Evaporation rate
Not determined.

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Correct Flow Base (1:1)

(Contd. of page 4)

classes	17-14	
Explosives	Void	
Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
• Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:		
78330-21-	78330-21-9 Alkohole, C11-14-iso-, C13-reich, ethoxyliert		
Oral	LD50	7,400 mg/kg (rat)	
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
Oral	LD50	>4,800 mg/kg (rat) (OECD 401)	
Dermal LD50 >2,375 mg/kg (rat) (OECD 402)			
		36 mg/l (rat) (OECD 403)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Correct Flow Base (1:1)

(Contd. of page 5)

Revision: 07.02.2023

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

. Aquatia taviaituu

· Aquatic t	· Aquatic toxicity:		
78330-21-9 Alkohole, C11-14-iso-, C13-reich, ethoxyliert			
EC50/72h	2-10 mg/l (algae)		
EC50/48h	2-10 mg/l (daphnia)		
LC50/96h	5.6 mg/l (fish)		
556-67-2 oct	tamethylcyclotetrasiloxane		
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)		
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)		
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)		
NOEC / 91d	≥0.0044 mg/l (fish)		
NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)		
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)		
	≥0.022 mg/l (fish) (EPA OTS 797.1400)		

· 12.2 Persistence and degradability

556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % /29d (not defined) (OECD 310)

NOEC / 48h ≥0.015 mg/l (daphnia) (EPA OTS 797.1300) ErC50/ 96h >0.022 mg/L (algae) (EPA OTS 797.1050)

· 12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12,400 (not defined)

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· PBT:

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

GB



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Trade name: Flexitime Correct Flow Base (1:1)

(Contd. of page 6)

Revision: 07.02.2023

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- Uncleaned packagings:
 - · Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport informati	on	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Correct Flow Base (1:1)

(Contd. of page 7)

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

Part : Persistent, Bloaccumulative and Toxic

Plam. Liq. 3: Flammable liquids – Category 3

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**Pota compared to the provious version altered.

* Data compared to the previous version altered.



Page 1/8

Revision: 07.02.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - Trade name: Flexitime Correct Flow Cat.(1:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008 Void
 - · Hazard pictograms Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information: see 2.1
- · 2.3 Other hazards -
 - · Results of PBT and vPvB assessment

· PB	T:		
	octamethylcyclotetrasiloxane		
540-97-6	Dodecamethylcyclohexasiloxane		
· vP 1	· vPvB:		
	octamethylcyclotetrasiloxane		
540-97-6	540-97-6 Dodecamethylcyclohexasiloxane		

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - · Description: -

· Dangerous components:		
CAS: 14464-46-1 EINECS: 238-878-4	Cristobalite STOT RE 1, H372	25-50%
CAS: 556-67-2 EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxx	octamethylcyclotetrasiloxane Flam. Liq. 3, H226 x Repr. 2, H361f Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.025-<0.25%
		(Contd. on page 2



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Correct Flow Cat.(1:1)

	208-762-8	Dodecamethylcyclohexasiloxane Non-classified vPvB substance. Non-classified PBT substance. Substance identified as having endocrine disrupting properties (II).	(Contd. of page 1) ≥0-<1%
·SVHC			
556-67-2	octamethylcyclotetrasi	loxane	
540-97-6	Dodecamethylcyclohe	xasiloxane	
· Additi	onal information For t	he wording of the listed hazard phrases refer to sec	tion 16

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact If skin irritation continues, consult a doctor.
 - · After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.
 - · Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5)

Trade name: Flexitime Correct Flow Cat.(1:1)

(Contd. of page 2)

Revision: 07.02.2023

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

DINE	DINELS			
556-67-2 octamethylcyclotetrasiloxane				
Oral	general population, long term, systemic 3.7 mg/Kg (not defined)			
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)		
	worker industrial, long term, local	73 mg/m3 (not defined)		
	general population, long term, systemic	13 mg/m3 (not defined)		
	general population, long term, local	13 mg/m3 (not defined)		
540-97-6 L	540-97-6 Dodecamethylcyclohexasiloxane			
Oral	general population, acute, systemic	1.7 mg/Kg (not defined)		
	general population, long term, systemic	1.7 mg/Kg (not defined)		
Inhalative	worker industrial, acute, local	6.1 mg/m3 (not defined)		
	worker industrial, long term, systemic	11 mg/m3 (not defined)		
	worker industrial, long term, local	1.22 mg/m3 (not defined)		
	general population, acute, local	1.5 mg/m3 (not defined)		
	general population, long term, systemic	2.7 mg/m3 (not defined)		
	general population, long term, local	0.3 mg/m3 (not defined)		

· PNECs

556-67-2 octamethylcyclotetrasiloxane

freshwater
marine water
sewage treatment plant
sediment, dry weight, freshwater
sediment, dry weight, marine water

0.0015 mg/l (not defined)
10 mg/l (not defined)
3 mg/Kg (not defined)
0.3 mg/Kg (not defined)

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Correct Flow Cat.(1:1)

(Contd.	of	pag	e 3

540-97-6 Dodecametnylcyclonexa	b Dodecametnyicycionexasiioxane		
sewage treatment plant	1 mg/l (not defined)		
sediment, dry weight, freshwater	13 mg/Kg (not defined)		
sediment, dry weight, marine water	1.3 mg/Kg (not defined)		

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
 - Appropriate engineering controls No further data; see item 7.
 - · Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- · Eye/face protection Safety glasses
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Smell:
Odour threshold:
Melting point/freezing point:

Fluid

Light grey
Characteristic
Not determined

Not determined

· Boiling point or initial boiling point and

boiling range >300 °C
Flammability Not applicable.

· Lower and upper explosion limit

Lower:
Upper:
Not determined.
Not determined.

Flash point:
Ignition temperature:
Decomposition temperature:
Not determined.
Not determined.

·SADT

· **pH** Not determined.

· Viscosity:

Kinematic viscosity Not determined.

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Correct Flow Cat.(1:1)

(Contd. of page 4)

dynamic:

· Solubility

Water:

Partition coefficient n-octanol/water (log

value) Steam pressure:

Density and/or relative density

· Density at 20 °C

· Relative density · Vapour density

Not determined.

Not determined.

1.6 g/cm3 Not determined. Not determined.

Not determined.

Not miscible or difficult to mix

· 9.2 Other information

No further relevant information available.

Pasty

Appearance:

Form:

· Important information on protection of

health and environment, and on safety.

· Self-inflammability:

Product is not selfigniting. · Explosive properties: Product is not explosive. Not determined.

· Change in condition

Not determined. Evaporation rate

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void Void · Aerosols Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Void

Self-heating substances and mixtures Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023 Version number 6 (replaces version 5) Revision: 07.02.2023

Trade name: Flexitime Correct Flow Cat.(1:1)

(Contd. of page 5)

· Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:		
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
Oral	LD50	>4800 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2375 mg/kg (rat) (OECD 402)	
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)	
540-97-6 l	540-97-6 Dodecamethylcyclohexasiloxane		
Oral	LD50	>2000 mg/kg (rat) (OECD 423)	
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
 Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

540-97-6 Dodecamethylcyclohexasiloxane

Oral NOAEL(C) 1000 mg/kg (rat)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
 - **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity	<i>(</i>	
· Aquatic t	oxicity:	
556-67-2 oct	amethylcyclotetrasiloxane	
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)	
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)	
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)	
NOEC / 91d	≥0.0044 mg/l (fish)	
NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)	
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)	
	≥0.022 mg/l (fish) (EPA OTS 797.1400)	
NOEC / 48h	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)	
ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)	
540-97-6 Do	decamethylcyclohexasiloxane	
NOEC / 91d	≥0.014 mg/l (fish) (OECD 210)	
NOEC / 21d	0.0046 mg/l (daphnia) (OECD 211)	
		(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Correct Flow Cat.(1:1)

	(Contd. of page 6)
	, , , ,
'2h ≥0.002 mg/l (algae) (OECD 201)	
sistence and degradability	
dation 3.7 % /29d (not defined) (OECD 310)	
Dodecamethylcyclohexasiloxane	
dation 4.47 % /28d (not defined) (OECD 310)	
accumulative potential	
Dodecamethylcyclohexasiloxane	
ility in soil No further relevant information available.	
ults of PBT and vPvB assessment	
octamethylcyclotetrasiloxane	
Dodecamethylcyclohexasiloxane	
• •	
Dodecamethylcyclohexasiloxane	
	22 h >0.002 mg/l (algae) (OECD 201) 20

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
 - Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - · Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport informa	tion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
		(Contd. on page 8



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2023

Version number 6 (replaces version 5)

Revision: 07.02.2023

Trade name: Flexitime Correct Flow Cat.(1:1)

		(Contd. of pag
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
 · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.