Neacid

Page:

 Version:
 3.9 / GB

 Revision date:
 23.09.2020

 Issue date:
 03.09.2001

 replaces version:
 3.8

1/9

 Material no.

 Specification
 102872

 VA-Nr
 01906661



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Neacid

REACH Registration No.: if available listed in Chapter. 3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For dental use only.

1.3. Details of the supplier of the safety data sheet

Company DeguDent GmbH

Postfach 1364 D-63403 Hanau

Telephone +49 (0)6181/59-5576 Telefax +49 (0)6181/59-5879

Email address SDB.Degudent-DE@dentsplysirona.com

1.4. Emergency telephone number

Emergency information +49 (0)6181/59-50 (This telephone number is available during office

hours only.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation Category 2 H319
Skin corrosion/irritation Category 2 H315
Hazardous to the aquatic environment - Chronic Hazard Category 3 H412

2.2. Label elements

Labelling as per (EU) 1272/2008

hazard-defining component(s) (GHS)

• sulfamic acid Hazard pictograms



Signal word Warning

Hazard statement H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statement:

Prevention

Reaction

P273 - Avoid release to the environment.

Precautionary statement: P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 - IF ON SKIN: Wash with plenty of water/ soap.

2.3. Other hazards

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

Neacid

Issue date:

Version: 3.9 / GB Material no. Revision date: 23.09.2020

03.09.2001 replaces version: Page: 2/9

Specification 102872 VA-Nr 01906661



SECTION 3: Composition/information on ingredients

Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008

sulfamic acid			70% - 80%		
CAS-No. 5329-14-6 EC-No. 226-218-8 Serious eye damage/eye irritation Skin corrosion/irritation Hazardous to the aquatic environment - Chronic Hazard				Category 2 Category 2 Category 3	H319 H315 H412

Texts of H phrases, see in Chapter 16

SECTION 4: First aid measures

Description of first aid measures

Remove contaminated or saturated clothing immediately and dispose of safely.

Move victims into fresh air.

Obtain medical attention.

Skin contact

Wash off with soap and plenty of water.

Obtain medical attention.

Eye contact

Keeping eyelid open, immediately rinse thoroughly for at least 5 minutes using plenty of water or, if necessary, eye rinsing solution.

Consult an ophthalmologist.

Ingestion

Do NOT induce vomiting.

Rinse mouth.

Immediately give large quantities of water to drink.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

None known

4.3. Indication of any immediate medical attention and special treatment needed

Therapy as for chemical burn.

If substance has been swallowed:

stomach pumping under gastroscopic view

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: mist

quenching powder

Foam

Unsuitable extinguishing media: None known

5.2. Special hazards arising from the substance or mixture

Do not inhale decomposition gases or noxious gases.

Advice for firefighters 5.3.

Extinction measures are to be adjusted to the specific location.

The product itself does not burn.

Neacid

Version: 3.9 / GB Material no. Revision date: 23.09.2020 Specification

Issue date: 03.09.2001 replaces version: 3.8 Page: 3 / 9

Specification 102872 VA-Nr 01906661



Employ protective equipment commonly used in the event of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid coming into contact with the following substance/substance classes: Product.

Avoid dust formation.

Do not breathe dust.

6.2. Environmental precautions

Introduction into soil, natural water bodies or sewerage must be prevented.

6.3. Methods and material for containment and cleaning up

Absorb mechanically avoiding production of dust.

Additional advice

Dispose of contaminated material as waste in accordance with section 13.

6.4. Reference to other sections

Wear personal protective equipment; see section 8.

Disposal considerations; see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

If used in accordance with the regulations:

Risk of serious damage to eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Keep container tightly sealed and store in a dry, well-ventilated place.

7.3. Specific end use(s)

We are unaware of any specific end uses which go beyond the data reported in Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Remarks None known

8.2. Exposure controls

Engineering measures

Handle in accordance with good industrial hygiene and safety practice.

Personal protective equipment

Respiratory protection

Put on Respirator with grey B-type filter with high gas/vapour concentrations.

Hand protection

Wear protective gloves made of the following materials:., acid-resistant protective gloves

Glove material Polychloroprene (PCP)

Material thickness 0.5 mm Break through time 480 min

Method Source: GESTIS substance database (hazardous substance information system of

commercial professional associations)

Glove material butyl-rubber
Material thickness 0.5 mm
Break through time 480 min

Neacid

Page:

Version:3.9 / GBMaterial no.Revision date:23.09.2020SpecificationIssue date:03.09.2001VA-Nrreplaces version:3.8

4/9

 Specification
 102872

 VA-Nr
 01906661



Method Source: GESTIS substance database (hazardous substance information system of

commercial professional associations)

Glove material Fluorinated rubber (FKM)
Material thickness 0.4 mm

Break through time 480 min

Method Source: GESTIS substance database (hazardous substance information system of

commercial professional associations)

Glove material PVC
Material thickness 0.5 mm
Break through time 480 min

Method Source: GESTIS substance database (hazardous substance information system of

commercial professional associations)

The suitability for a specific workplace should be discussed with the producers of the protective gloves., The exact break through time can be obtained from the protective glove producer and this has to be

observed.

Preventive skin protection, Use barrier cream regularly.

Eye/face protection

Safety glasses with side-shields

Skin and body protection

Avoid contaminating clothes with product., Immediately change moistened and saturated work clothes., Preventive skin protection

Hygiene measures

No eating, drinking, smoking, or snuffing tobacco at work., Wash hands before breaks and at the end of workday.

Protective measures

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Form powder Colour white

Odour sour

pH < 1 (260 g/l) Medium: Water

Melting point/range no data available

Boiling point/range no data available

Flash point no data available

Flammability (solid, gas) no data available

Lower explosion limit no data available

Upper explosion limit no data available

Density 2.1 g/cm3

Relative density no data available

Water solubility 278 g_l

Partition coefficient: noctanol/water no data available

Neacid

Version: 3.9 / GB Revision date: 23.09.2020 Issue date: 03.09.2001 replaces version: 3.8 Page: 5/9

Material no. Specification 102872 VA-Nr 01906661



Autoinflammability Not capable of spontaneous combustion or heating.

205 °C Thermal decomposition

Viscosity, dynamic no data available

Viscosity, kinematic no data available

Explosiveness no data available

Oxidizing properties no data available

9.2. Other information

Ignition temperature n.a.

Bulk density ca. 600 kg/m3

SECTION 10: Stability and reactivity

10.1. Reactivity

no data available

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No dangerous reactions known.

reactions

10.4. Conditions to avoid

No limitations

10.5. Incompatible materials

halogens, Oxidizing agents, alkalines

10.6. Hazardous decomposition products

sulphur dioxide, Ammonia, nitrous gases

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity LD50 Rat: 3160 mg/kg

sulfamic acid Related to substance:

no data available Acute inhalation toxicity

Acute dermal toxicity no data available

Skin irritation Rabbit

strongly corrosive

Related to substance: sulfamic acid

Eye irritation Rabbit

strongly corrosive

Related to substance: sulfamic acid

Sensitization no data available

Repeated dose toxicity no data available

Neacid

Page:

 Version:
 3.9 / GB

 Revision date:
 23.09.2020

 Issue date:
 03.09.2001

 replaces version:
 3.8

 Material no.

 Specification
 102872

 VA-Nr
 01906661



Mutagenicity assessment no data available

6/9

Carcinogenicity No data available

Toxicity to reproduction No data available

Further information No hazardous reactions are known if properly handled and stored.

SECTION 12: Ecological information

12.1. Toxicity

No ecotoxicological data is available for this product.

12.2. Persistence and degradability

Biodegradability no data available

12.3. Bioaccumulative potential

Bioaccumulation no data available

12.4. Mobility in soil

Mobility No data available

12.5. Results of PBT and vPvB assessment

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

12.6. Other adverse effects

Further Information Introduction into soil, natural water bodies or sewerage must be prevented.

Harmful to aquatic organisms., Noxious effect due to pH shift, Toxic effect

due to products of decomposition (sulphur dioxide sulphur trioxide)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product

Disposal according to local authority regulations.

Uncleaned packaging

Disposal according to local authority regulations.

SECTION 14: Transport information

Transport on land (ADR/RID/GGVSEB)

14.1. UN number: UN 2967

14.2. UN proper shipping name: SULPHAMIC ACID

14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards:
14.6. Special precautions for user:
Yes

ADR: Tunnel Restriction Code: (E)

Inland waterway transport (ADN/GGVSEB (Germany))

Neacid

Version:3.9 / GBMaterial no.Revision date:23.09.2020SpecificationIssue date:03.09.2001VA No.

replaces version: 3.8 Page: 7/9 Specification 102872 VA-Nr 01906661



14.1. UN number: UN 2967

14.2. UN proper shipping name: SULPHAMIC ACID

14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards:
14.6. Special precautions for user:
No

Air transport ICAO-TI/IATA-DGR

14.1. UN number: UN 2967

14.2. UN proper shipping name: Sulphamic acid

14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards:
14.6. Special precautions for user:
Yes

IATA-C: ERG-Code 8L IATA-P: ERG-Code 8L

Sea transport IMDG-Code/GGVSee (Germany)

14.1. UN number: UN 2967

14.2. UN proper shipping name: SULPHAMIC ACID

14.3. Transport hazard class(es):
14.4. Packing group:
14.5. Environmental hazards:
14.6. Special precautions for user:
EmS:
8
III
III
F-A,S-B

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

for transportapproval see regulatory information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National legislation

employment restriction The employment limitations under the protection of young persons act,

the laws on pregnant women and young mothers and work at home

is/are to be observed.

15.2. Chemical safety assessment

Chemical safety assessment No Chemical Safety Report as per Articles 2(8), 2(9) or 14 of the REACH

Regulatione is required for this product.

SECTION 16: Other information

Relevant H phrases from chapter 3

H315 : Causes skin irritation. H319 : Causes serious eye irritation.

H412 : Harmful to aquatic life with long lasting effects.

Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Neacid

 Version:
 3.9 / GB

 Revision date:
 23.09.2020

 Issue date:
 03.09.2001

 replaces version:
 3.8

 Page:
 8 / 9

 Material no.

 Specification
 102872

 VA-Nr
 01906661



This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ASTM American Society for Testing and Materials

ATP Adaptation to Technical Progress

BCF Bioconcentration factor

BetrSichV German Ordinance on Industrial Safety and Health

c.c. closed cup

CAS Chemical Abstract Services

CESIO European Committee of Organic Surfactants and their Intermediates

ChemG German Chemicals Act

CMR carcinogenic-mutagenic-toxic for reproduction

DIN German Institute for Standardization
DMEL Derived minimum effect level
DNEL Derived no effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EC50 half maximal effective concentration

GefStoffV German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous

goods

GGVSee German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 ISO International Organization For Standardization

LOAEL Lowest observed adverse effect level

LOEL Lowest observed effect level
NOAEL No observed adverse effect level
NOEC no observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

REACH REACH registration

RID Convention concerning International Carriage by Rail

STOT Specific Target Organ Toxicity **SVHC** Substances of Very High Concern

TA Technical Instructions

TPR Third Party Representative (Art. 4)

TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

Neacid

Page:

Version:3.9 / GBMaterial no.Revision date:23.09.2020SpecificationIssue date:03.09.2001VA-Nrreplaces version:3.8

on **102872 01906661**



VOC volatile organic compounds

9/9

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to

Waters into Water Hazard Classes

WGK Water Hazard Class WHO World Health Organization