for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 1 von 10

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Name of product: Insulator for 3D models

Product group:

UFI:

1.2. Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Use of the substance/mixture

Coating

1.3. Details of the supplier of the safety data sheet

Manufacturer / distributor

SCHEU DENTAL GmbH Am Burgberg 20 D-58642 Iserlohn +49 (2374) 9288-0 Tel. +49 (2374) 9288-90 Fax

eMail: service@SCHEU-DENTAL.com

Internet: www.SCHEU-DENTAL.com

1.4. Emergency telephone number: +49 (2374) 9288-0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1	H318 Causes serious eye damage.
Skin Sens. 1	H317 May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

The product is classified and labelled according to the CLP regulation.

Signal word: Danger **Hazard Pictograms**:





GHS05

GHS07

Hazard-determining compontens of labelling:

Alcohols, C16-18 and C18 unsaturated, ethoxylated

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

ethoxylated, 2,4,7,9-tetramethyl 5 decyn-4,7-diol

Hazard statements

H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 2 von 10

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

Results of PBT an vPvB assessment

PBT: None. vPvB: None.

SECTION 3: Composition / information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description: wax emulsion.

Hazardous components

	Bezeichnung	Anteil
	Alcohols, ethoxylated (polymer, monomers EINECS listed) Aquatic Acute 1, H400; Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	5 - <10 %
CAS: 9014-85-1 RegNr. 01-2119954393-33	ethoxylated, 2,4,7,9-tetramethyl 5 decyn-4,7-diol Eye Dam. 1, H318; Aquatic Chronic 3, H412	1 - <3%
CAS: 68920-66-1 Polymer	Alcohols, C16-C18 und C18 unsaturated, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302	1 - <3 %
CAS: 52-51-7 EINECS: 200-143-0	2-bromo-2-nitropropane-1,3-diol Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	0,1 - <1 %
CAS: 55965-84-9	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1, H317	<0,005 %

SVHC None.

Additional information

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air ; consult doctor in case of complaints.

After contact with skin: Immediately wash with water and soap and rinse thoroughly.

After contact with eyes: Rinse opened eye for several minutes under running water. Then consult a doctor.

for the liquid

Tradename:

Insulator for 3D models

SCHEUGROUP

Status: 04.05.2022 Page: 3 von 10

After swallowing: If symptoms persist consult doctor.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Product contains water and is non-combustible.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

6.2. Environmental precautions

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers / surface or ground water.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

See section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special precautions are necessary if used correctly.

Information about fire - and explosion protection:

The product is not flammable.

Protect from heat.

7.2. Conditions for safe storage, including any incompatibilities

Storage:

Requirements for storage rooms and receptacles:

Store in a cool location.

Information about storage in one common storage facility:

Not required.

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 4 von 10

Further information on storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

7.3. Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls / personal protection

Additional information about design of technical facilities.

No further data; see item 7.

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists valid during the making were used as basis.

8.2. Exposure controls

Personal protective equipment:

Protective and hygiene measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Respiratory protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.5 \ \text{mm}$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6)

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50 % of the penetration time, is recommended.

Eye protection

Tightly sealed goggles.

Body protection:

Protective work clothing.

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 5 von 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Information

General information	
Appearance:	
Form:	Fluid
Colour:	Yellowish
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value:	≈ 7 (DIN ISO 976)
Change in condition	
Melting point/freezing point:	Undetermined
Initial boiling point and boiling range:	≈ 100 °C (water)
Flash point:	Not applicable.
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties:	None.
Vapour pressure:	Not determined.
Density at 20°C:	≈ 0.99 g/cm³ (DIN EN ISO 2811-1)
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic at 23 °C:	≈ 29 mPas (DIN EN ISO 3219)
kinematic:	Not determined.
Solvent content:	
Water:	≈ 60 %

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 6 von 10

10.6. Hazardous decomposition products

No dangerous decomposition products known.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Alcohols, ethoxylated (polymer, monomers EINECS listed)			
Oral	LD50	300 – 2000 mg/kg (rat)	
CAS: 9014-85-1 ethoxylated, 2,4,7,9-t	etramethyl 5 decyn-4,7-diol		
Oral	LD50	6300 mg/kg (rat)	
CAS: 68920-66-1 Alcohols, C16-C18 u	CAS: 68920-66-1 Alcohols, C16-C18 und C18 unsaturated, ethoxylated		
Oral	LD50	>200 mg/kg (rat)	
CAS: 52-51-7 2-bromo-2-nitropropane	-1,3-diol		
Oral	LD50	307 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
CAS: 55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-			
isothiazol-3-one [EC no. 220-239-6] (3:1)			
Oral	LD50	49,6 – 75 mg/kg (rat)	
Dermal	LD50	141 mg/kg (rabbit)	
Inhalative	LC50 / 4h	0,33 mg/l (rat) (Aerosol)	

Primary irritant effect:

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitization

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity.

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 7 von 10

SECTION 12: Ecological Information

12.1. Toxicity

Aquatic toxicity:			
Alkohols, ethoxylated (polymer, monomers EINECS listet)			
LC50	0,1 – 1 mg/l (fish) (96 h)		
NOEC	< 1 mg/l (alga) (72 h)		
CAS: 914-85-1 ethoxy	/lated 2,4,7,9-tetramethyl 5 decyn-4,7 diol		
EC50	105 mg/l (alga) (Skeletonema costatum / 72 h)		
LC50	52 mg/l (fish) (Scophthalmus maximus / 96 h)		
CAS: 52-51-7 2-brome	o-2-nitropropane-1,3-diol		
EC50	0,4 – 2,8 mg/l (alga) (green alga / 72 h)		
	1,4 mg/l (daphnia) (Daphnia magna / 48 h)		
LC50 41,2 mg/l (fish) (Oncorhynchus mykiss / 96 h)			
CAS: 55965-84-9 Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-			
isothiazol-3-one [EC no. 220-239-6] (3:1)			
EC50	0,018 mg/l (alga) (Pseudokirchneriella subcapitata / 72 h)		
	4,5 mg/l (bacteria) (activated sludge)		
	0,16 mg/l (daphnia) (Daphnia magna / 48 h)		
LC50	0,19 mg/l (fish) (Oncorhynchus mykiss / 96 h)		

12.2. Persistence and degradability

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

12.5. Results of PBT an vPvB assessment

According to Annex XIV of Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccummulative/toxic) criteria or the vPvB (very persistent/very bioaccummulative) criteria. Self classification.

12.6. Endocrine disrupting properties

No further relevant information available.

12.7. Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

07 07 01* aqueous washing liquids and mother liquors

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 8 von 10

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

SECTION 14: Transport Information

Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packing group:	
Hazard label:	
Classification code:	No hazardous material according to transport regulations.
Limited quantity:	
Transport category:	
Hazard No:	
Tunnel restriction code:	
Other applicable information (land transport)	

Marine transport (IMDG)

Marine transport (IMDG)	
14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packaging group:	
Hazard label:	No hazardous material according to transport regulations.
Limited quantity:	
EmS:	
Other applicable information (marine transport):	

Air transport (ICAO)

14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packaging group:	No hazardous material according to transport regulations.
Hazard label:	
Limited quantity Passenger:	
Other applicable information (air transport)	

14.5. Environmental hazards

Product contains environmentally hazardous substances: Naphtha (petroleum), hydrotreated light

Marine pollutant: No.

14.6. Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 9 von 10

Section 15. Regulatory Information

15.1. Safety, health an environmental regulations/legislation specific for the substance or mixture REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

15.2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other Information

Relevant phrases (number and full text)

Hazard statements

u	Zaru Statement	.3
	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H311	Toxic in contact with skin.
	H312	Harmful in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H331	Toxic if inhaled.
	H335	May cause respiratory irritation.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

Appreviations and acronyms		
ADR	Accord européen sur le transport des marchandises dangereuses par Route	
	(European Agreement concerning the International Carriage of Dangerous Goods by Road)	
IMDG	International Maritime Code for Dangerous Goods	
IATA	International Air Transport Association	
GHS	Globally Harmonized System of Classification and Labelling of Chemicals	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
CAS	Chemical Abstracts Service (division of the American Chemical Society)	
LC50	Lethal concentration, 50 %	
LD50	Lethal dose, 50 %	
PBT	Persistent, Bioaccumulative and Toxic	
SVHC	Substances of Very High Concern	
vPvB	very Persistent and very Bioaccumulative	
Acute Tox. 3:	Acute toxicity – Category 3	
Acute Tox. 4:	Acute toxicity – Category 4	
Skin Corr. 1B:	Skin corrosion / irritating – Category 1B	
Eye Dam.1:	Serious eye damage / eye irritation – Category 1	
Eye Irrit. 2:	Serious eye damage/eye irritation – Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Hazard Category 2	

for the liquid

Tradename:

Insulator for 3D models



Status: 04.05.2022 Page: 10 von 10

Skin Sens. 1:	Skin sensitisation – Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Hazard Category 3
Aquatic Acute 1:	Hazardous to the aquatic environment – acute aquatic hazard – Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – long-term aquatic hazard – Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3

Further information

The information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationsship. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.