

Page 1/10

Tel.: +49 (0)800 4372522

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023 Version number 5 (replaces version 4) Revision: 01.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - · Trade name: Signum matrix Value
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Veneering resin
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07 GHS09

- · Signal word Warning
- · Hazard-determining components of labelling:

1,12-Dodecanediol dimethacrylate

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

triethylen glycol dimethacrylate

· Hazard statements

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

- 2.3 Other hazards -
 - · Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

GB



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023 Version number 5 (replaces version 4) Revision: 01.02.2023

Trade name: Signum matrix Value

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Product based on methacrylates

· Dangerous components:		
	1,12-Dodecanediol dimethacrylate	≥10-<25%
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Skin Sens. 1B, H317	
EINECS: 276-957-5 Reg.nr.: 01-2120751202-68-xxxx,	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12- diazahexadecane-1,16-diyl bismethacrylate Aquatic Chronic 2, H411 Skin Sens. 1B, H317 EUH204	≥10-<25%
	triethylen glycol dimethacrylate Skin Sens. 1B, H317	≥1-≤5%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · General information No special measures required.
 - · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - · Additional information -

GB



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 5 (replaces version 4)

Revision: 01.02.2023

Trade name: Signum matrix Value

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin.
- · 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 8 for information on personal protection equipment.

_

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special measures required.

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Store cool (not above 25 °C).
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· DNI	ELs	
72869-86-	4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo bismethacrylate	o-3,14-dioxa-5,12-diazahexadecane-1,16-diyl
Oral	general population, long term, systemic	0.3 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	1.3 mg/Kg/d (not defined)
	general population, long term, systemic	0.7 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	3.3 mg/m3 (not defined)
	general population, long term, systemic	0.6 mg/m3 (not defined)
109-16-0 t	riethylen glycol dimethacrylate	
Oral	general population, long term, systemic	8.33 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.9 mg/Kg/d (not defined)
	general population, long term, systemic	8.33 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	48.5 mg/m3 (not defined)
	general population, long term, systemic	14.5 mg/m3 (not defined)
		(Contd. on page

age +



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023 Version number 5 (replaces version 4) Revision: 01.02.2023

Trade name: Signum matrix Value

	(Contd. of page 3)
PNECs	
72869-86-4 7,7,9(or 7,9,9)-trimet bismethacrylate	hyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl
freshwater	0.01 mg/l (not defined)
marine water	0.001 mg/l (not defined)
sewage treatment plant	3.61 mg/l (not defined)
sediment, dry weight, freshwater	4.56 mg/Kg (not defined)
sediment, dry weight, marine water	0.46 mg/Kg (not defined)
soil, dry weight	0.91 mg/Kg (not defined)
109-16-0 triethylen glycol dimetha	acrylate
freshwater	0.016 mg/l (not defined)
marine water	0.002 mg/l (not defined)
sewage treatment plant	1.7 mg/l (not defined)
sediment, dry weight, freshwater	0.185 mg/Kg (not defined)
sediment, dry weight, marine water	0.018 mg/Kg (not defined)
soil, dry weight	0.027 mg/Kg (not defined)

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - Appropriate engineering controls No further data; see item 7.
 - Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Hand protection

Check protective gloves prior to each use for their proper condition. recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- Eye/face protection Tightly sealed safety glasses.
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state Fluid

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 5 (replaces version 4)

Trade name: Signum matrix Value

Revision: 01.02.2023

(Contd. of page 4) · Colour: Brown Colourless White Pink · Smell: Odourless Not determined. Odour threshold: · Melting point/freezing point: Not determined Boiling point or initial boiling point and boiling range 250 °C Not applicable. · Flammability · Lower and upper explosion limit Lower: Not determined. Upper: Not determined. · Flash point: >100 °C (72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate) · Decomposition temperature: Not determined. SADT рΗ Mixture is non-soluble (in water). Viscosity: Kinematic viscosity Not determined. dynamic: Not determined. Solubility Water: Not miscible or difficult to mix · Partition coefficient n-octanol/water (log Not determined. Steam pressure at 20 °C: 40 hPa · Density and/or relative density · Density at 20 °C 1.450 g/cm3 Relative density Not determined. · Vapour density Not determined. · 9.2 Other information No further relevant information available. Appearance: Form: Pasty · Important information on protection of health and environment, and on safety. Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive. Not determined. · Solvent content: **VOC EU** g/l Change in condition Evaporation rate Not determined. · Information with regard to physical hazard **Explosives** Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023 Version number 5 (replaces version 4) Revision: 01.02.2023

Trade name: Signum matrix Value

(Contd	. of	page	5)

Void
Void
Void
Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Acu	te toxi	chy based on available data, the classification chiena are not met.
· L	D/LC5	0 values that are relevant for classification:
112945	-52-5 <i>F</i>	Amorphous silica
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit)
72829-0	09-5 1,	12-Dodecanediol dimethacrylate
Oral	LD0	>2,000 mg/kg (rat) (OECD 423)
72869-8		7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl
	bi	smethacrylate
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
2530-8	5-0 3-tr	imethoxysilylpropyl methacrylate
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
109-16-	0 trietl	hylen glycol dimethacrylate
Oral	LD50	8,300 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (mouse)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 5 (replaces version 4)

Trade name: Signum matrix Value

(Contd. of page 6)

Revision: 01.02.2023

- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12 1 Toxicity

	12.1 TOXICILY	,
	· Aquatic t	oxicity:
I	112945-52-5	Amorphous silica
I	LC50/96h	>10,000 mg/l (fish) (OECD 203)
	EC50 / 24h	>1,000 mg/l (daphnia)
ı		7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl
	b	pismethacrylate
ı	EC50/48h	>1.2 mg/l (daphnia) (OECD 202)
	LC50/96h	10.1 mg/l (fish) (OECD 203)
	ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)
	NOEC / 72h	0.21 mg/l (algae) (OECD 201)
I	2530-85-0 3-	trimethoxysilylpropyl methacrylate
	EC50/48h	>100 mg/l (daphnia) (EU C2.)
	LC50/96h	>100 mg/l (fish) (EU C.1)
I	109-16-0 trie	thylen glycol dimethacrylate
ı	EC50/21d	51.9 mg/L (daphnia) (OECD 211)
	LC50/96h	16.4 mg/l (fish) (OECD 203)
	NOEC / 21d	32 mg/l (daphnia) (OECD 211)
	ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
	NOEC / 72h	18.6 mg/l (algae) (OECD 201)

12.2 Persistence and degradability

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Biodegradation 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

2530-85-0 3-trimethoxysilylpropyl methacrylate

Biodegradation 69 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

109-16-0 triethylen glycol dimethacrylate

EbC50 / 72h | 72.8 mg/l (algae) (OECD 201)

Biodegradation 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 5 (replaces version 4)

Revision: 01.02.2023

Trade name: Signum matrix Value

• 12.7 Other adverse effects No further relevant information available.

(Contd. of page 7)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

14.1 UN number or ID number	
· ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
· ADR	3082 ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (1,1)
	Dodecanediol dimethacrylate, 7,7,9(or 7,9,9 trimethyl-4,13-dioxo-3,14-dioxa-5,12
	diazahexadecane-1,16-diyl bismethacrylate)
· IMDG	ENVIRONMENTALLY HAZĀRDOU
	SUBSTANCE, LIQUID, N.O.S. (1,12
	Dodecanediol dimethacrylate, 7,7,9(or 7,9,9 trimethyl-4,13-dioxo-3,14-dioxa-5,12
	diazahexadecane-1,16-diyl bismethacrylate
	MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOU
	SUBSTANCE, LIQUID, N.O.S. (1,12 Dodecanediol dimethacrylate, 7,7,9(or 7,9,9
	trimethyl-4,13-dioxo-3,14-dioxa-5,12
	diazahexadecane-1,16-diyl bismethacrylate)
14.3 Transport hazard class(es)	
· ADR	
1 1 1 1 1 1 1 1 1 1	
· Class	9 (M6) Miscellaneous dangerous substance
0.000	and articles.
· Label	9



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 5 (replaces version 4)

Revision: 01.02.2023

Trade name: Signum matrix Value

(Contd. of page 8) · IMDG, IATA 9 Miscellaneous dangerous substances and · Class articles. ·Label 14.4 Packing group ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Marine pollutant: No Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. 90 · Kemler Number: · EMS Number: F-A,S-F · Stowage Category · 14.7 Maritime transport in bulk according to **IMO** instruments Not applicable. · Transport/Additional information: · Limited quantities (LQ) 5L Excepted quantities (ÉQ) Code: E1 Maximum net quantity per inner packaging: Maximum net quantity per outer packaging: 1000 ml 3 · Transport category Tunnel restriction code (-)·IMDG · Limited quantities (LQ) Excepted quantities (ÉQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,12-DODECANEDIOL DIMETHACRYLATE, 7,7,9(OR UN "Model Regulation": 7,9,9)-TRIMETHYL-4,13-DIOXO-3,14-DIOXA-5,12-DIAZAHEXADECANE-1,16-DIYL BISMETHACRYLATE), 9, III



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2023

Version number 5 (replaces version 4)

Trade name: Signum matrix Value

(Contd. of page 9)

Revision: 01.02.2023

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or
- No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Toxic to aquatic life with long lasting effects.

EUH204 Contains isocyanates. May produce an allergic reaction.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic

compounds)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1: Skin sensitisation – Category I Skin Sens. 1B: Skin sensitisation – Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.



Page 1/9

Revision: 16.11.2022

Tel.: +49 (0)800 4372522

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: Signum matrix Matrix, Opal, MD, SD
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Veneering resin
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

triethylen glycol dimethacrylate

· Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

· 2.3 Other hazards -

- Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Product based on methacrylates

Dangerous components:

CAS: 109-16-0 EINECS: 203-652-6

triethylen glycol dimethacrylate

Skin Sens. 1B, H317

Reg.nr.: 01-2119969287-21-xxx

≥10-≤25%

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 1)

CAS: 131-57-7 Oxybenzone

≥0.25-<1%

EINECS: 205-031-5

Aquatic Acute 1, H400; Aquatic Chronic 2, H411

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes and skin.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
 - Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - · Requirements to be met by storerooms and containers: No special requirements.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 2)

Revision: 16.11.2022

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store cool (not above 25 °C).
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required

Not req		
· DNI		
109-16-0 t	riethylen glycol dimethacrylate	
Oral	general population, long term, systemic	8.33 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.9 mg/Kg/d (not defined)
	general population, long term, systemic	8.33 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	48.5 mg/m3 (not defined)
	general population, long term, systemic	14.5 mg/m3 (not defined)
41637-38-	1 bisphenol a polyethylene glycol die	ther dimethacrylate
Oral	general population, long term, systemic	5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	140 mg/Kg/d (not defined)
	general population, long term, systemic	50 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	98.7 mg/m3 (not defined)
	general population, long term, systemic	17.4 mg/m3 (not defined)
131-57-7 (Oxybenzone	
Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	39 mg/Kg/d (not defined)
	general population, long term, systemic	20 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	27.7 mg/m3 (not defined)
	general population, long term, systemic	6.8 mg/m3 (not defined)
80-62-6 m	ethyl methacrylate	
Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m3 (not defined)
	worker industrial, long term, systemic	348.4 mg/m3 (not defined)
	worker industrial, long term, local	208 mg/m3 (not defined)
	general population, acute, local	208 mg/m3 (not defined)
	general population, long term, systemic	74.3 mg/m3 (not defined)
· PNI	ECs	

109-16-0 triethylen glycol dimethacrylate

0.016 mg/l (not defined) freshwater 0.002 mg/l (not defined) marine water 1.7 mg/l (not defined) sewage treatment plant sediment, dry weight, freshwater 0.185 mg/Kg (not defined)

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

	(Contd. of pag
sediment, dry weight, marine water	0.018 mg/Kg (not defined)
soil, dry weight	0.027 mg/Kg (not defined)
131-57-7 Oxybenzone	
freshwater	0.00067 mg/l (not defined)
marine water	0.000067 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	0.066 mg/Kg (not defined)
sediment, dry weight, marine water	0.007 mg/Kg (not defined)
soil, dry weight	0.013 mg/Kg (not defined)
80-62-6 methyl methacrylate	
freshwater	0.94 mg/l (not defined)
marine water	0.094 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
sediment, dry weight, marine water	0.102 mg/Kg (not defined)
soil, dry weight	1.48 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

- · Eye/face protection Tightly sealed safety glasses.
- · Body protection: Light weight protective clothing

- GI



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

Flammable solids

(Contd. of page 4)

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties **General Information** · Physical state Fluid · Colour: Beige · Smell: Odourless Odour threshold: Not determined. · Melting point/freezing point: Not determined · Boiling point or initial boiling point and 250 °C boiling range · Flammability Not applicable. · Lower and upper explosion limit Not determined. Lower: Not determined. Upper: >150 °C (109-16-0 triethylen glycol dimethacrylate) · Flash point: · Decomposition temperature: Not determined. SADT · pH Not determined. Viscosity: Not determined. · Kinematic viscosity dynamic: Not determined. Solubility Not miscible or difficult to mix Water: · Partition coefficient n-octanol/water (log Not determined. value) · Steam pressure: Not determined. Density and/or relative density Not determined · Density Relative density Not determined. · Vapour density Not determined. No further relevant information available. · 9.2 Other information Appearance: Fluid Form: · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive. Not determined. · Solvent content: 2.3-<3.7 % · Water: Solids content: 0.0 % Change in condition Not determined. · Evaporation rate · Information with regard to physical hazard classes Void **Explosives** · Flammable gases Void · Aerosols Void · Oxidising gases Void Gases under pressure Void · Flammable liquids Void

Void



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 5) · Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
• Acute toxicity Based on available data, the classification criteria are not met.

· LD/	LC50 valu	es that are relevant for classification:
109-16-0	triethylen	glycol dimethacrylate
Oral	LD50	8,300 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (mouse)
68611-44-	9 Silane, o	dichlorodimethyl-, reaction products with silica
Oral	LD50	>5,000 mg/kg (rat)
Inhalative	LC0/4h	0.477 mg/L (rat)
41637-38-	1 bisphen	ol a polyethylene glycol diether dimethacrylate
Oral	LD50	>2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
131-57-7	Oxybenzo	ne
Oral	LD50	>12,800 mg/kg (rat) (OECD 401)
Dermal	LD50	>16,000 mg/kg (rabbit) (OECD 402)
80-62-6 m	ethyl met	hacrylate
Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)
Ckin	orropion/i	rritation Pased on available data, the elassification criteria are not met

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Trade name: Signum matrix Matrix, Opal, MD, SD

(Contd. of page 6)

Revision: 16.11.2022

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

- May cause an allergic skin reaction.

 Germ cell mutagenicity Based on available data, the classification criteria are not met.

 Carcinogenicity Based on available data, the classification criteria are not met.

- Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

12.1 Toxicity	12: Ecological information	
· Aquatic to		
65997-17-3		
	>1,000 mg/l (daphnia)	
	>1,000 mg/l (fish)	
	>1,000 mg/l (algae)	
	1,000 mg/l (algae)	
	1,000 mg/l (daphnia)	
109-16-0 trie	thylen glycol dimethacrylate	
EC50/21d	51.9 mg/L (daphnia) (OECD 211)	
LC50/96h	16.4 mg/l (fish) (OECD 203)	
NOEC / 21d	32 mg/l (daphnia) (OECD 211)	
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)	
NOEC / 72h	18.6 mg/l (algae) (OECD 201)	
EbC50 / 72h	72.8 mg/l (algae) (OECD 201)	
68611-44-9 S	ilane, dichlorodimethyl-, reaction products with silica	
LC50/96h	>10,000 mg/l (fish) (OECD 203)	
	>10,000 mg/l (algae) (OECD 201)	
	>10,000 mg/l (daphnia) (OECD 202)	
41637-38-1 b	isphenol a polyethylene glycol diether dimethacrylate	
LL50/96h	>100 mg/L (fish) (OECD 203)	
EL50/48h	>100 mg/L (daphnia) (OECD 202)	
EL50/72h	>100 mg/L (algae) (OECD 201)	
	≥0.00224 mg/l (daphnia) (OECD 211)	
131-57-7 Oxy		
EC50/48h	1.87 mg/l (daphnia) (OECD 202)	
LC50/96h	3.8 mg/l (fish) (OECD 203)	
	0.67 mg/l (algae) (OECD 201)	
	0.18 mg/l (algae) (OECD 201)	
	0.72 mg/l (fish) (OECD 203)	
NOEC / 48h	1.15 mg/l (daphnia) (OECD 202)	(Contd. on pa



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

	(Contd. of page 7)
80-62-6 met	hyl methacrylate
EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)
	ence and degradability
	ethylen glycol dimethacrylate
Biodegradat	ion 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
41637-38-1	bisphenol a polyethylene glycol diether dimethacrylate
Biodegradat	ion 24 % /28d (not defined) (OECD 301D)
131-57-7 Ox	ybenzone
Biodegradat	ion 60-70 % /28d (not defined)
80-62-6 met	hyl methacrylate
Biodegradat	ion 94 % /14d (not defined) (OECD 301C)
· 12.3 Bioacc	umulative potential
131-57-7 Ox	ybenzone

- Bloconcentration factor (BCF) >33-<160 (fish) (OECD 305) 12.4 Mobility in soil No further relevant information available.
 12.5 Results of PBT and vPvB assessment
- - PBT: Not applicable.

 - vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· 14.1 UN number or ID number

ADR, ADN, IMDG, IATA

Void

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

Trade name: Signum matrix Matrix, Opal, MD, SD

		(Contd. of page
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or

No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.