

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Cement

Revision date: 15.04.2021

Product code: 1040

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Vitique Cement

1.2. Relevant identified uses of the substance or mixture and uses advised against**Uses advised against**

pregnant or breastfeeding people should not work with hazardous substances

1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

Causes serious eye damage.

May cause an allergic skin reaction.

2.2. Label elements**Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

chemical characterization (preparation): Acrylate.-resin.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Cement

Revision date: 15.04.2021

Product code: 1040

Page 2 of 5

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1565-94-2	Bis-GMA			25 - 35 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1565-94-2		Bis-GMA	25 - 35 %
	oral: LD50 = 5000 mg/kg		

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Call a physician immediately.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO₂).**Unsuitable extinguishing media**

High power water jet.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Wear suitable protective clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**Other information**

Take up mechanically.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Cement

Revision date: 15.04.2021

Product code: 1040

Page 3 of 5

Advice on general occupational hygiene

Take off immediately all contaminated clothing. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

8.2. Exposure controls**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Respiratory protection

The following must be prevented: inhalation.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Paste	
Colour:	yellow	
Odour:	like: ester	
Boiling point or initial boiling point and boiling range:		>200 °C
Decomposition temperature:		>60 °C
pH-Value:		2.5
Water solubility: (at 20 °C)		5% g/L
Vapour pressure: (at 20 °C)		1 hPa
Density:		1.9 g/cm ³
Relative vapour density:		> 1

SECTION 10: Stability and reactivity**10.4. Conditions to avoid**

heat. Light.

Decomposition takes place from temperatures above: 60 °C

10.5. Incompatible materials

radical former. Keep away from strong acids, leachates, heavy metal salts and reducing materials.

10.6. Hazardous decomposition products

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Cement

Revision date: 15.04.2021

Product code: 1040

Page 4 of 5

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****ATEmix tested**

	Dose	Species	Source
LD50, oral	> 10000 mg/kg	Rat	calculated.

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1565-94-2	Bis-GMA				
	oral	LD50 mg/kg	5000	Rat	literature value

Irritation and corrosivity

Irritant effect on the eye: strongly irritant. Risk of serious damage to eyes.

Sensitising effects

May cause sensitization by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

STOT-repeated exposure

No data available

Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

SECTION 12: Ecological information**12.2. Persistence and degradability**Do not allow to enter into surface water or drains. Leakage into the environment must be prevented.
Preparation not tested.**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of hazardous waste according to official regulations.

List of Wastes Code - residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Cement

Revision date: 15.04.2021

Product code: 1040

Page 5 of 5

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Further Information

-

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Try-In

Revision date: 26.09.2019

Product code: 1065

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Vitique Try-In

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH		
Street:	Elbgaustraße 248		
Place:	D-22547 Hamburg		
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222	
e-mail:	info@dmg-dental.com		
Internet:	www.dmg-dental.com		

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**2.3. Other hazards**

none

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

mixture of polyethylene glycol and glass filler

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1565-94-2	Bis-GMA			< 1 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1565-94-2		Bis-GMA	< 1 %
		oral: LD50 = 5000 mg/kg	

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing.

After contact with eyes

Rinse cautiously with water for several minutes.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Try-In

Revision date: 26.09.2019

Product code: 1065

Page 2 of 5

After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

slightly irritant but not relevant for classification.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water , Carbon dioxide (CO2) , Foam , Extinguishing powder

Unsuitable extinguishing media

none

5.2. Special hazards arising from the substance or mixture

Combustible substance

Vapours are heavier than air.

Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

For non-emergency personnel : Do not breathe vapour/aerosol.

Provide adequate ventilation. , Evacuate area.

To follow: Emergency procedures

For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**Other information**

Cover drains. .

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Further information on handling**

Follow the instructions for use on the label.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Follow the instructions for use on the label.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Try-In

Revision date: 26.09.2019

Product code: 1065

Page 3 of 5

8.1. Control parameters**Occupational exposure limits**

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
1309-37-1	Rouge, respirable dust	-	4		TWA (8 h)	
13463-67-7	Titanium dioxide, total inhalable dust	-	10		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
128-37-0	2,6-Di-tert-butyl-4-methylphenol			
Worker DNEL, long-term		inhalation	systemic	3,5 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day

PNEC values

CAS No	Substance	Value
128-37-0	2,6-Di-tert-butyl-4-methylphenol	
Environmental compartment		
Freshwater		0,000199 mg/l
Freshwater (intermittent releases)		0,00199 mg/l
Marine water		0,000199 mg/l
Freshwater sediment		0,0996 mg/kg
Marine sediment		0,00996 mg/kg
Soil		0,04769 mg/kg

8.2. Exposure controls**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear suitable gloves and eye/face protection.

Hand protection

Wear suitable gloves and eye/face protection.

Environmental exposure controls

Do not empty into drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid: Paste

Colour:

Boiling point or initial boiling point and boiling range: > 200 °C

SECTION 10: Stability and reactivity**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Try-In

Revision date: 26.09.2019

Product code: 1065

Page 4 of 5

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****ATEmix tested**

	Dose	Species	Source
LD50, oral	8800 mg/kg	rattus	ATE mix., calculated

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
1565-94-2	Bis-GMA					
	oral	LD50 mg/kg	5000	Rat	literature value	

SECTION 12: Ecological information**12.2. Persistence and degradability**

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. (National regulations)

SECTION 14: Transport information**Land transport (ADR/RID)****Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Vitique Try-In

Revision date: 26.09.2019

Product code: 1065

Page 5 of 5

Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)**Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)**Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

Additional information

For this substance a chemical safety assessment has not been carried out.

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)